

## Constraint Programming

### Project I – Tiling of a Rectangle


1. Specify in COMET a function `tile(x, y, w, h, r, maxW, maxH, o)` that constrains a rectangle of dimensions `maxW` and `maxH` to be tiled with a set of rectangles with widths / heights indicated in arrays `w` / `h`, respectively, and whose left bottom corners are in coordinates `x` and `y`, respectively. The rectangles may be rotated, which is indicated by the array `r`, of 0/1 FD variables. If some rectangle `i` is rotated its actual width and height are respectively `h[i]` and `w[i]`, otherwise they are `w[i]` and height `h[i]`. All variables in arrays `x`, `y`, `w`, `h` and `r`, as well as arguments `maxW` and `maxH` are FD variables. Array `o`, is used to specify a number of options to be considered in this constraint, namely:

- **o[1] (rotations):** a Boolean indicating whether some of the *rectangles* can be rotated.
- **o[2] (redundant):** a Boolean indicating whether a redundant cumulative constraint is used to speed up the search for solutions.
- **o[3] (global):** a Boolean indicating whether the cumulative constraint is specified by means of either global (`o[3] = true`) or propositional (`o[3] = false`) constraints. Of course, if `o[2]` is false this option has no effect.
- **o[4] (symmetry):** a Boolean indicating whether some symmetry breaking constraints are used to speed up the search for solutions.




#### Example:

Constraint `tile` succeeds if called with the arguments below, corresponding to the tiling of the figure.

```
x = [1, 5, 1, 4, 4],
y = [3, 2, 1, 2, 1],
w = [4, 3, 3, 1, 2],
h = [2, 1, 2, 1, 1],
r = [F, T, F, F, F],
maxW = 5,
maxH = 4,
```



Notice that other symmetrical solutions for `x` and `y` are possible (if not prevented with `o[4]`).



2. Informally, two rectangles are incomparable if one does not fit inside the other. More formally, two rectangles with width/heights  $w_1/h_1$  and  $w_2/h_2$  are incomparable iff whenever one of the rectangles has a shorter width than it must have a longer height ( $w_1 \leq w_2 \Rightarrow h_1 > h_2$  &&  $w_2 \leq w_1 \Rightarrow h_2 > h_1$ ), even when one of the rectangles is subject to a rotation.

Use the above constraint to tile a  $22 \times 13$  rectangle with 7 incomparable rectangles. Repeat the tiling for a larger  $38 \times 10$  rectangle.

3. Write a small report, describing the results we have achieved with the different options, as well as the execution times and number of backtracks obtained.

-----

The report and the code should be sent by email to the lecturer ([pb@di.fct.unl.pt](mailto:pb@di.fct.unl.pt)) no later than Sunday 15th November, at 24:00. Please use subject **Project\_PR\_1\_by\_XXXXX+YYYYY** (where XXXXX and YYYYY are the numbers of the students - max 2 per group).